

Biochemistry

Molarity, Molality, and Normality

Asif Ali
2K21/MLT/09

Mass Percent

- ✓ Solutions can also be represented as percent of solute in a specific mass of solution.
- ✓ For a solid dissolved in water, you use percent by mass which is Mass Percent.
- ✓ % by mass =
$$\frac{\text{mass solute}}{\text{mass of solution}} \times 100$$
- ✓ **Mass of solution = solute mass + solvent mass

Example 1

- If a **solution** that has a mass of 800.0 grams contains 20.0 grams of NaCl, what is the concentration using **Percent by Mass**?

$$\% \text{ by mass} = \frac{\text{mass solute}}{\text{mass of solution}} \times 100$$

$$\begin{aligned}\% \text{ by mass} &= \frac{20.0\text{g NaCl}}{800.0\text{g solution}} \times 100 \\ &= 2.50\% \text{ NaCl}\end{aligned}$$

Normality example #2: What is N of 20.0g NaOH dissolved in 1.0 L of solution ?

$$20.0\text{g NaOH} \quad \times \quad \frac{1 \text{ equiv. NaOH}}{40.0\text{g}} \quad = \quad 0.5 \text{ equiv.}$$

$$N = \frac{\text{\# of equivalents}}{\text{Liter of solution}} = \frac{0.5 \text{ equiv.}}{1 \text{ L}} = 0.5 \text{ N}$$

Normality example #3: What is N of 4.90g H_2SO_4 dissolved in 500 mL of solution ?

$$4.90\text{g H}_2\text{SO}_4 \quad \times \quad \frac{1 \text{ equiv. H}_2\text{SO}_4}{49.0\text{g}} \quad = \quad 0.10 \text{ equiv.}$$

$$N = \frac{\text{\# of equivalents}}{\text{Liter of solution}} = \frac{0.10 \text{ equiv.}}{0.5 \text{ L}} = 0.2 \text{ N}$$

Dilutions with Normality:

What if you wished to dilute a more concentrated Normal solution to a specific concentration. How would you do it ?

$$N_i V_i = N_f V_f$$

Normal Dilutions example #1:

A lab requires 500 mL of 0.20 N Sulfuric acid. You have a significant volume of 4.0 N H_2SO_4 .

How do you prepare the desired solution ?

$$N_i V_i = N_f V_f \quad 0.20 \text{ N} \times 0.500 \text{ L} = 4.0 \text{ N} \times "X"$$

$$"X" = 0.025 \text{ L}$$

Dilute 25 mL of 4.0 N Sulfuric acid to 500 mL.

Normal Dilutions example #2:

A lab requires 870 mL of 2.0 N Potassium hydroxide. You have a significant volume of 3.0 N KOH.

How do you prepare the desired solution ?

$$N_i V_i = N_f V_f$$

$$2.0 \text{ N} \times 0.870 \text{ L} = 3.0 \text{ N} \times "X"$$

$$"X" = 0.58 \text{ L}$$

Dilute 580 mL of 3.0 N Potassium hydroxide to 870 mL.

Example 2

If 10.0 grams of NaCl is dissolved in 90.0 grams of **water**, what is the concentration using **Percent by Mass**?

$$\% \text{ by mass} = \frac{\text{mass solute}}{\text{mass of solution}} \times 100$$

$$\% \text{ by mass} = \frac{10.0\text{g NaCl}}{100.0\text{g solution}} \times 100 = 10\%$$

Example 3

How many grams of sodium bromide are in 200.0g of solution that is 15.0% sodium bromide by mass?

$$\% \text{ by mass} = \frac{\text{mass solute}}{\text{mass of solution}} \times 100$$

$$\% \text{ by mass} = \frac{? \text{ g NaBr}}{200.0\text{g solution}} \times 100 = 15.0\% \text{ NaBr}$$

$$\text{g NaBr} = \frac{200.0 \times 15.0}{100} = 30 \text{ g NaBr}$$

Molality

The number of moles of solute per kilogram of solvent.

Molality example #1: 5.67g of glucose are dissolved in 25.2g of water.

What is the Molality ?

Step #1: Determine the number of moles of solute.

Molecular weight of glucose = 180.1572 g/mol

Use "DIMO" to determine # of moles.

$$\frac{5.67\text{g}}{180.1572 \text{ g/mol}} = 0.0315 \text{ mol of glucose}$$

Step #2: Determine the mass of the solvent.

Given 25.2g = 0.0252 Kg "X"

Step #3: Set up proportions to solve.

$$X = 1.25\text{m glucose} \quad \frac{0.0315 \text{ mol glucose}}{0.0252 \text{ Kg solvent}} =$$

Molality

The number of moles of solute per kilogram of solvent.

Molality example #1: 5.67g of glucose are dissolved in 25.2g of water.

What is the Molality ?

Step #1: Determine the number of moles of solute.

Molecular weight of glucose = 180.1572 g/mol

Use "DIMO" to determine # of moles.

$$\frac{5.67\text{g}}{180.1572 \text{ g/mol}} = 0.0315 \text{ mol of glucose}$$

Step #2: Determine the mass of the solvent.

Given 25.2g = 0.0252 Kg "X"

Step #3: Set up proportions to solve.

$$X = 1.25\text{m glucose}$$

0.0315 mol glucose
0.0252 Kg solvent

Molality example #3:

Fructose, $C_6H_{12}O_6$, is a sugar found in honey and fruits. The sweetest sugar, it is nearly twice as sweet as sucrose.

How much water should be added to 1.75g of fructose to give a 0.125m solution of Fructose ?

Step #1: Determine the number of moles of solute.

Molecular weight of Fructose = 180.1572 g/mol

Use "DIMO" to determine # of moles.

$$\frac{1.75\text{g}}{180.1572\text{ g/mol}} = 0.00971\text{ mol of Fructose}$$

Step #2: Determine the mass of the solvent.

Given "X" g = Kg "X"

Step #4: Use the density of water to convert grams to milliliters.

Step #3: Set up proportions to solve.

$$\frac{0.125\text{ mol Fructose}}{1\text{ Kg solvent}} = \frac{0.00971\text{ mol Fructose}}{\text{"X" Kg solvent}} \quad X = 0.07768\text{ Kg of solvent}$$

Which equals solvent.

"X" 77.68g

Molar Solutions –Dry Chemicals

✓ Mole Mass Conversion

$$\text{✓ Grams/L} \times (1/\text{MW}) = \text{Moles/L}$$

Example:

Need to know how many grams of NaOH to make 1 Litre of 2M.

Rearrange equation: to show that the grams is the unknown we what to find.

$$\text{✓ Grams} = \text{Moles} / (1/\text{MW})$$

$$\text{✓ Grams} = 2\text{M} / (1/40.01)$$

$$\text{✓ Grams} = 80.02 \text{ of NaOH / Litre of distilled water.}$$

✓ **Caution this is exothermic reaction.**




Figure 21.4. A 1 M Solution of Sodium Sulfate (Na_2SO_4). The FW of Na_2SO_4 is

Molar Solutions- Wet Chemicals

Important to remember check the label you need to know the starting strength (%)

$$\text{Grams} = \text{Density} \times 1000\text{ml} \times \%$$

Example: HCl comes in two different strengths 32% and 36%.

$$\text{Grams} = 1.179\text{g/ml} \times 1000\text{ml} \times 36\%$$

$$\text{Grams} = 1.179\text{g} \times 1000 \times 0.36$$

$$\text{Grams} = 424.44$$

Molar Solutions- Wet Chemicals

Next step to work out the number of moles.

$$\text{Grams} \times (1/\text{MW}) = \text{Moles}$$

Rearrange to find the number Moles.

$$M = (g \times 1000\text{ml}) / (\text{MW} \times \text{ml})$$

$$M = (424.44\text{g} \times 1000) / (36.46 / 1000)$$

$$\text{Moles} = 11.64\text{M}$$

This is the strength of your HCl

Now work out how many Moles is 32% HCl.

Next Step is dilution.

Example : 32% HCl = 10.17 M and you need to make 500mls of 2M.

$$M1 \times V1 = M2 \times V2$$

M1=The original number of moles of HCl 10.17

V1= How much do we need?

M2 = Moles needed 2M

V2 = Volume needed 500mls

$$10.17M \times V1ml = 2M \times 500ml$$

Rearrange to find V1

$$V1 = (2 \times 500) / 10.17$$

$$V1 = 98.33ml$$

✓ Sulphuric acid. 96-98%

1. $\text{Grams} = \text{Density} \times 1000\text{ml} \times \%$

2. $M = (g \times 1000\text{ml}) / (MW \times \text{ml})$

Step1.

$$\text{Grams} = 1.84\text{g/ml} \times 1000\text{ml} \times 96\%$$

$$\text{Grams} = 1.84\text{g} \times 1000\text{ml} \times 0.98$$

$$\text{Grams} = 1803.2$$

Step 2.

$$M = (1803.2 \times 1000\text{ml}) / (96.07 \times 1000\text{ml})$$

$$M = 18.85$$

Then dilute to suit the moles you require.

- ✓ When mixing solutes what is the final Mole?
- ✓ Example: 50ml of 0.5M NaOH with 250ml of 1M NaOH What is the final molar strength.

$$M_1V_1 + M_2V_2 = M_3V_3$$

$$M_1 = 0.5M ; V_1 = 50ml ; M_2 = 1.0 ; V_2 = 250ml$$

$$M_3 = \text{unknown} ; V_3 = 300ml$$

Rearrange to find M_3

$$M_3 = (0.5M \times 50ml + 1.0M \times 250ml) / 300$$

$$M_3 = 0.92M$$

Always Check.

- ✓ **Does the Chemical have water added?**

This needs to be taken into consideration when considering the Molecular Weight (MW).

- ✓ **Read the information on the Chemical container label.**

Example. Copper Sulphate comes in Anhydrous CuSO_4 (pale green to white powder) and Pentahydrate. $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ (bright blue powder)

$\text{CuSO}_4 = 159.62\text{g/mol}$ $\text{CuSO}_4 \cdot 5\text{H}_2\text{O} = 249.70\text{g/mol}$

This will affect your accuracy of your chemical solution.

Liquids chemicals always check the % and density

What if I don't want a litre of solution?

NaOH example: 80.02g/L to make 2M

You only need 250mls.

$$1000/250 = 4$$

$$80.02/4 = 20.005\text{g}$$

Therefore you need 20.005g of NaOH to make up 250mls.

Concentration Expressions (Most Common)

PARTS (Common in environmental sciences, for example)

Amounts of solutes expressed as "parts"

- a. Parts per Million (ppm)
- b. Parts per Billion (ppb)
- c. Might see parts per Thousand (ppt)
- d. Percents are same category (pph %)

Parts may have any units but must be the same for all components of the mixture.

Example:

A solution is 3:2:1 ethylene:chloroform:isoamyl alcohol

Might combine:

3 liters ethylene

2 liters chloroform

1 liter isoamyl alcohol

Two Other Forms Of %

v/v mL solute
100 mL solution

w/w g solute
100 g solution

Weight/weight

How would you make 500 g of a 5% solution of NaCl by weight (w/w)?

Percent strength is 5% w/w, total weight desired is 500g.

5% = 5g/100g

$\frac{0.05g}{1g} \times 500 g = 25 g = \text{NaCl needed}$

$500 g - 25 g = 475 g = \text{amount of solvent needed}$

Dissolve 25 g of NaCl in 475 g of water.

Weight / Volume

Means a fraction with:

weight of solute in numerator
total volume in denominator

2 mg/mL proteinase K

Means 2 mg of proteinase K in each mL of solution.

Example: How much proteinase K is required to make 50 mL of solution at a concentration of 2 mg/mL?

Can Solve as A Proportion Problem

$$\begin{array}{lcl} 2 \text{ mg proteinase K} & = & \frac{\quad}{\quad} X \\ 1 \text{ mL solution} & & 50 \text{ mL solution} \end{array}$$

$$X = 100 \text{ mg}$$

= amount proteinase K needed.

Volume / Volume

Means a fraction with:

volume of solute in numerator
total volume in denominator

Usually the "solute" here is a liquid as well

Remember that volume in the denominator is the total volume of the solution

Example

- ✓ You are to make 50 mL of a 8% v/v solution of diluted dish soap.
- ✓ How many mLs of concentrated dish soap must be added to how many mLs of water?
- ✓ Weight / Weight
- ✓ Means a fraction with:

mass of solute in numerator

total mass in denominator

- ✓ Most times the "solute" here is a solid and sometimes the "solution" is also a solid
- ✓ **Remember that mass in the denominator is the total mass of the solution**

- ✓ Example:
- ✓ You are to prepare 4 kg of specific soil sample which is to be 8% w/w sand and 5% w/w clay in which the remainder is top soil.
- ✓ How many grams of each sand and clay need to be added to the soil to make the solution?

Ppm And Ppb

- ✓ **ppm:** The number of parts of solute per 1 million parts of total solution.
- ✓ **ppb:** The number of parts of solute per billion parts of solution.

Ppm Example

5 ppm chlorine = 5 g of chlorine in 1 million g of solution,
or 5 mg chlorine in 1 million mg of solution,
or 5 pounds of chlorine in 1 million pounds of solution

Conversions

To convert ppm or ppb to simple weight per volume expressions:

5 ppm chlorine

To convert ppm or ppb to simple weight per volume expressions:

$$\begin{aligned} 5 \text{ ppm chlorine} &= \frac{5 \text{ g chlorine}}{10^6 \text{ g water}} = \frac{5 \text{ g chlorine}}{10^6 \text{ mL water}} \\ &= \mathbf{5 \text{ mg/1 L water}} \\ &= 5 \times 10^{-6} \text{ g chlorine/ 1 mL water} \\ &= \mathbf{5 \text{ micrograms/mL}} \end{aligned}$$

PPM To Micrograms/ml

For any solute:

$$1 \text{ ppm in water} = \frac{1 \text{ microgram}}{\text{mL}}$$

Each star represents 1 mg of dioxin.
What is the concentration of dioxin in the beaker expressed as ppm (parts per million)? _____

What is the total amount of dioxin in beaker?

500 mL



Figure 5

Each star represents 1 mg of dioxin.
What is the total amount of dioxin in tube? 25 mg
What is the concentration of dioxin in tube expressed as ppm? _____
 $1 \text{ ppm in water} = \frac{1 \mu\text{g}}{\text{mL}}$

$25 \text{ mg} / 500 \text{ mL}$
 $= 0.05 \text{ mg/mL} = 50 \mu\text{g/mL}$
so the concentration is 50 ppm

500 mL



Figure 5